

#### **Product datasheet**

GT-UL126-30W

LED street light with pillar 30 W | 4000 K

- PHILIPS LED chip
- Outdoor public lighting
- Aluminium 6063



#### **General information**

• Model	GT-UL126-30W
• LED chip	PHILIPS
• Material	Aluminium 6063
• Environment	Outdoor public lighting
Product color	Grey
IP protection rate	IP65
• Life span	30 000 working hours

# **Electrical specifications**

• Power	30 W
Voltage	AC 85 - 265 V / 50 - 60 Hz
Dimmable function	No
Replacing LED	Yes
<ul> <li>Replacing power supply</li> </ul>	Yes

# Lighting specifications

• FLUX:	4500 lm
- Lumionous officionay	150 lm /\\/
Lumionous effeciency	150 lm / W
<ul> <li>Color of the light</li> </ul>	Neutral white
<ul> <li>Color Rendering Index (CRI)</li> </ul>	> 80
• CCT	4000 K
• Beam angle	120°

### Dimensions

• Pillar height	4000 mm
Pedestal dimensions	300 x 180 mm
<ul> <li>Distance between the screw holes</li> </ul>	230 x 140 mm
<ul> <li>Screw holes dimensions</li> </ul>	Ø 18 mm