

# LED FILAMENT ŽARULJA

LFB-4000



## HR BA TEHNIČKI LIST

|                      |                             |
|----------------------|-----------------------------|
| Snaga:               | 4 W                         |
| Tip grla:            | E27                         |
| Boja svjetlosti:     | 2700 K                      |
| IP stupanj zaštite:  | IP20                        |
| Napon:               | AC 170 - 265 V / 50 - 60 Hz |
| FLUX:                | 100 lm / W ~ 400 lm         |
| Kut svjetlosti:      | 360 °                       |
| LED diode:           | San`an                      |
| Oblik:               | G95                         |
| PF:                  | 0,9                         |
| CRI:                 | 80                          |
| Radna temperatura:   | -20 °C~65 °C                |
| Mogućnost dimovanja: | Da                          |
| Radni vijek:         | 35 000 radnih sati          |
| Materijal:           | amber staklo                |
| Dimenzije/Težina:    | 125 x 170 mm/0,080 kg       |



# LED ŽARNICA Z ŽARILNO NITKO

LFB-4000



## SI PODATKOVNI LIST IZDELKA

|                      |                             |
|----------------------|-----------------------------|
| Moč:                 | 4 W                         |
| Podnožje žarnice:    | E27                         |
| Barva svetlobe:      | 2700 K                      |
| IP stopnja:          | IP20                        |
| Napetost:            | AC 170 - 265 V / 50 - 60 Hz |
| FLUX:                | 100 lm / W ~ 400 lm         |
| Svetlobni kot:       | 360 °                       |
| LED diode:           | San`an                      |
| Oblika:              | G95                         |
| PF:                  | 0,9                         |
| CRI:                 | 80                          |
| Delovna temperatura: | -20 °C~65 °C                |
| Zatamnitev:          | Da                          |
| Življenska doba:     | 35 000 obratovalnih ur      |
| Materijal:           | jantarno steklo             |
| Dimenzije/Teža:      | 125 x 170 mm/0,080 kg       |



### DE PRODUKTDATENBLATT

|                     |                                    |
|---------------------|------------------------------------|
| Leistung:           | <b>4 W</b>                         |
| Glühbirnensockel:   | <b>E27</b>                         |
| Helle Farbe:        | <b>2700 K</b>                      |
| IP-Schutzart:       | <b>IP20</b>                        |
| Spannung:           | <b>AC 170 - 265 V / 50 - 60 Hz</b> |
| FLUX:               | <b>100 lm / W ~ 400 lm</b>         |
| Lichtwinke:         | <b>360 °</b>                       |
| LED Diode:          | <b>San`an</b>                      |
| Form:               | <b>G95</b>                         |
| PF:                 | <b>0,9</b>                         |
| CRI:                | <b>80</b>                          |
| Betriebstemperatur: | <b>-20 °C~65 °C</b>                |
| Dimmbare Funktion:  | <b>Ja</b>                          |
| Lebensdauer:        | <b>35 000 Betriebsstunden</b>      |
| Material:           | <b>Braunglas</b>                   |
| Maße/Gewicht:       | <b>125 x 170 mm/0,080 kg</b>       |



# LED FILAMENT BULB

## LFB-4000



### EN PRODUCT DATASHEET

|                        |                             |
|------------------------|-----------------------------|
| Power:                 | 4 W                         |
| Bulb base:             | E27                         |
| Color temperature:     | 2700 K                      |
| IP protection rate:    | IP20                        |
| Voltage:               | AC 170 - 265 V / 50 - 60 Hz |
| FLUX:                  | 100 lm / W ~ 400 lm         |
| Beam angle:            | 360 °                       |
| LED chip:              | San`an                      |
| Shape:                 | G95                         |
| PF:                    | 0,9                         |
| CRI:                   | 80                          |
| Operating temperature: | -20 °C~65 °C                |
| Dimmable:              | Yes                         |
| Life span:             | 35 000 working hours        |
| Material:              | amber glass                 |
| Dimensions/Weight:     | 125 x 170 mm/0,080 kg       |

